

Technical Report

Containment And Mitigation Measures Of Covid-19: A scoping review

Research Project No: NMRR-20-624-54449



National Institutes of Health 2020

TECHNICAL REPORT

CONTAINMENT AND MITIGATION MEASURES OF COVID-19 – A SCOPING REVIEW

RESEARCH PROJECT NO: NMRR-20-624-54449



Copyright © Institute for Public Health, National Institutes of Health, Ministry of Health, Malaysia 2020. All rights reserved

This work is copyright. Institute for Public Health welcomes requests for permission to reproduce in whole or part of its publication. Application and inquiries should be addressed to the Secretariat, Research Committee of Institute for Public Health.

ISBN: 978-967-18159-1-5

Containment and mitigation measures of Covid-19 – A scoping Review

Suggested citation:

Lim KK, Faizul Akmal AR, Fazila Haryati A, Ahzairin A, Halizah MR, Mohd Shaiful AK, Muhd Hafizuddin TR, Nur Hamizah N, Jayvikramjit Singh MS, Norsyamlina CAR. **Containment and Mitigation Measures of Covid-19 – A Scoping Review.**

Any enquiries or comments on this report should be directed to:

Lim Kuang Kuay Institute for Public Health National Institutes of Health Ministry of Health Bandar Setia Alam 40170, Shah Alam Malaysia

Email: limkk@moh.gov.my
Tel: +603-33628706
Fax: +603-33627801

Published by Institute for Public Health, Ministry of Health, Malaysia

ACKNOWLEDGEMENT

We wish to thank the Director-General of Health and Deputy Director-General of Health (Research and Technical Support) for their support in this publication. We also wish to extend our sincere gratitude and appreciation to the Director, Institute for Public Health for his guidance and support. The project team was headed by Mr. Lim Kuang Kuay (Research Officer), Institute for Public Health. Special appreciation and thanks to all our Technical Team members: Faizul Akmal Abdul Rahim, Fazila Haryati Ahmad, Ahzairin Ahmad, Halizah Mat Rifin, Mohd Shaiful Azlan Kassim, Muhd Hafizuddin Taufik Ramli, Nur Hamizah Nasaruddin, Jayvikramjit Singh Manjit Singh and Norsyamlina Che Abdul Rahim for their time, effort and commitment spent on this report.

MEMBERS OF THE SCOPING REVIEW TEAM

Advisor:

Dr. Noor Ani Ahmad

Director of Institute for Public Health.

1. Mr Lim Kuang Kuay (Team Leader)

Research Officer, Institute for Public Health.

2. Mr Faizul Akmal Abdul Rahim

Science Officer, Institute for Public Health

3. Dr. Fazila Haryati Ahmad

Medical Officer, Institute for Public Health

4. Mr. Ahzairin Ahmad

Environmental Health Officer, Institute for Public Health

5. Dr Halizah Mat Rifin

Medical Officer, Institute for Public Health

6. Dr Mohd Shaiful Azlan Kassim

Public Health Specialist, Institute for Public Health

7. Dr Muhd Hafizuddin Taufik Ramli

Medical Officer, Institute for Public Health.

8. Dr Nur Hamizah Nasaruddin

Medical officer, Institute for Public Health

9. Mr Jayvikramjit Singh Manjit Singh

Dietitian officer, Institute for Public Health

10. Ms Norsyamlina Che Abdul Rahim

Nutritionist, Institute for Public Health

Table Of Contents

	PAGE
1. LIST OF TABLES	6
2. LIST OF FIGURES	6
3. ABBREVIATIONS	6
4. ABSTRACT	7
5. INTRODUCTION	8
6. OBJECTIVES	10
7. METHODOLOGY	11
8. FINDINGS	13
9. DISCUSSION	22
10. CONCLUSION	26
11. ACKNOWLEDGEMENT	26
12. REFERENCES	27

1. LIST OF TABLES

Table	Title of Table	Page
1.	Summaries of the Covid-19 containment and mitigation measures from the affected countries	18
2.	New daily reported of Covid-19 confirmed cases, by date	22

2. LIST OF FIGURES

Z. LI31	OF FIGURES	
Figure	Title of Figure Page	
1.	Flow diagram for the scoping review process selection of articles.	15

3. ABBREVIATIONS

Covid-19	Coronavirus Disease 2019
SARS-CoV-2	Severe Acute Respiratory Syndrome Coronavirus-2
WHO	World Health Organization
NMRR	National Medical Research Register
MREC	Medical Research and Ethics Committee

4. ABSTRACT

Introduction: In December 2019, an epidemic of Coronavirus Disease 2019

(Covid-19) began in China and the number of countries infected by the virus has

continued to rise. This phenomenon led to the Covid-19 pandemic declaration by

World Health Organization (WHO) on 11 March 2020.

Objective: The aim of this study is to assess the evidence and to identify the best

Covid-19 containment and mitigation measures among the affected countries.

Methods: A comprehensive search strategy was performed, which included

published scientific journals, unpublished work, grey literature using the MESH terms

of "Novel coronavirus," "Novel coronavirus 2019", "2019 nCoV", "Covid-19",

"Wuhan coronavirus", "SARS-CoV-2", "Containment", "Mitigation" and "Control". A

scoping review framework was used to chart the evidence on the containment and

mitigation measures.

Results: After the completion of the initial screening 922 articles were excluded for

the following reasons: the article did not meet the inclusion criteria (N = 862), the

article was a duplicate (N = 60). The remaining 72 articles were screened at the

full-text level. After full review for relevancy, 41 articles were excluded and a total of

31 articles were selected for scoping review. The two most successful countries that

managed to control this pandemic were Hong Kong and South Korea. The USA and

Brazil are the countries still unable to significantly reduce the Covid-19 cases.

Conclusion: Based on the current published evidence, the findings revealed that

only a few countries demonstrated the effectiveness of the containment and

mitigation strategies. Meanwhile, other countries could not show a clear impact or

even failed in reducing the cases. The aggressiveness of government efforts and the

compliance among the population are the main factors of the effectiveness of the

containment and mitigation measures implemented.

Keywords: Covid-19, pandemic, containment, mitigation.

5. INTRODUCTION

In December 2019, Wuhan City, Hubei province in China experienced an unprecedented outbreak of pneumonia of unknown aetiology [1]. Most of the infected patients had developed mild symptoms such as dry cough, sore throat, and fever [2]. Fortunately, the majority of this cases have spontaneously recovered. However, some have developed various fatal complications including organ failure, septic shock, pulmonary oedema, severe pneumonia, and acute respiratory distress syndrome that required specialized management at intensive care units [3]. The epidemiology of this unknown disease is still being investigated and the virus was later identified from the throat swab samples of the cases [3]. As the virus belong to the subfamily of Orthocoronavirinae under the family Coronaviridae, this disease was subsequently named Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) [4] and later, the World Health Organization (WHO) renamed this viral disease as Covid-19 [5].

As of January 30, 2020, 7734 cases have been confirmed in China and 90 other cases have also been reported from many countries in Asia, Europe and America [6]. Subsequently, the number of cases rose quickly and as of 16 February 2020, WHO reported 51,174 confirmed cases in China and the number of cases out of China has reached 51,857 [6]. This phenomenon has led WHO to declare Covid-19 as pandemic on March 11, 2020, and has urged all affected countries to take urgent and aggressive action to control this pandemic [7]. At the time of preparing this manuscript (04 May 2020), WHO reported laboratory-confirmed Covid-19 cases and deaths worldwide which stood at 3,349,786 and 238,615 respectively [8]. It is important to note that these figures are likely to be underestimated, since the data presented depicts laboratory-confirmed diagnoses only [3].

The continuous rise in confirmed cases of Covid-19 may exert a huge burden on populations, health systems and economies among of the world, which the affected countries can ill afford [9]. Currently, there are no specific antiviral drugs or vaccine against Covid-19 infection available for potential therapy of humans [2]. The patterns of the viruses spread from China to other Asia countries, Europe, Middle East and the United States of America, represent a global pandemic threat which requires drastic steps and actions [10]. It remains uncertain whether this uncontrolled pandemic can be prevented and controlled due to the acceleration of global urbanization, increased concentration of populations, more frequent and complex interactions, and shortage of medical protection in developing countries [9].

Based on the WHO guidance on the dynamics of pandemics, most of the countries affected by the Covid-19 pandemic were recommended to adopt the containment and mitigation measures in order to control the disease from spreading [8]. Briefly, the containment measures aimed at preventing the disease from taking hold, encompassing early detection, isolation, and care of people already infected, with careful tracing and screening of their contacts. While, mitigation measures aimed at reducing the impact and its incidence, as well as disruptions to economic, political, and social systems, encompassing social distancing strategies such as the cancellation of conferences and other large

gatherings, reducing non-essential use of public transport, and closure of schools [8]. China had shown that harsh containment and mitigation measures such as, quarantine, social distancing, and isolation of infected populations can contain the pandemic. However, it is an uphill task for the other affected countries to implement the same stringent measures to their population and such strategies are unlikely to be replicated [11].

In view of the above scenario, it is crucial to explore relevant evidence on current Covid-19 pandemic containment and mitigation measures adopted by affected countries other than China. We hope our study findings will provide important reference data to policy makers in containment and mitigation efforts of the emergence of this pandemic.

6. OBJECTIVE

a. General Objective

To determine the control methods used in containment and mitigation of the Covid-19 virus from the affected countries.

b. Specific objectives

- i. To summarize the containment methods in Covid-19 transmission control.
- ii. To summarize the mitigation methods in Covid -19 transmission control.
- iii. To determine what are the best methods in Covid-19 transmission control.

7. METHODOLOGY

In our study, a scoping review approach in searching, screening, reviewing and data extraction was applied based on framework by Arksey and O'Malley [12]. The stages of scoping review framework in our study include: identifying the research objectives, identifying relevant studies, study selection, charting the data, summarizing, and reporting the result [12]. Scoping review methodology was selected over that of systematic review due to limited literature based on our topic of enquiry [13]. Selection criteria for the search are articles in English published from January 1, 2020 to 31 March 2020 and related to measures in Covid-19 containment and mitigation control from the countries with confirmed cases of more than fifty. We excluded publications such as articles and reports that did not include containment or mitigation measures.

A comprehensive search strategy was performed, which includes published scientific journals, unpublished work, grey literature, such as:

- i. Electronic databases of Medline/Pubmed, Science Direct, Web of Sciences and Scopus;
- ii. Relevant research websites such as WHO, Google Scholar;
- iii. Bibliographic search of reports, summaries, newsletters, and references from selected articles or bulletin from the WHO and Ministry of Health;
- iv. Other sources included information from experts in the relevant agencies, research fields from countries all over the world.

The search was conducted with medical subject headings (MeSH) terms, including "Novel coronavirus," "Novel coronavirus 2019", "2019 nCoV", "Covid-19", "Wuhan coronavirus", "SARS-CoV-2", "Containment", "Mitigation" and "Control". All references of retrieved articles were further searched for identification of other potential articles. Two reviewers independently screened all references from the articles search and then reached consensus on which met the eligibility criteria. Non-English language articles were excluded as the translation was not practical. Data from the articles were extracted and summarized on a standardized form with the data reviewed by both authors (JSMS and NCAR). Data collected included the following: author(s)/ year of publication, country, type of publication, type of containment measures such as self-isolation and screening, type of mitigation measures such as social distance, movement restriction/travel, partial lockdown and prohibition of mass gathering, date of first case occurred, number of cases and fatality at 31 March 2020 and source of data. The characteristics of the selected articles were described based on the types of containment and mitigation of the study in various countries (excluding China).

The study was registered under the National Medical Research Register (NMRR) and the ethical approval was obtained from the Medical Research and Ethics Committee (MREC), Ministry of Health Malaysian (NMRR-20-624-54449). The research was funded by the Institute for Public Health, Ministry of Health Malaysia.

8. FINDINGS

All included studies were published between 2019 and 2020. A total of 996 sources of evidence identified from the literature search and grey literature hand search were included in the review, representing the types of containment and mitigation from four regions; i. Western Pacific and South East Asia (Australia, Singapore, Philippines, and Hong Kong), ii. European (Spain, France, Germany, United Kingdom, Netherland, Norway, and Austria), iii. Eastern Mediterranean (Bahrain), and iv. The Americas (USA, Canada, and Brazil). After the completion of the initial screening, 922 articles were excluded for the following reasons; the article did not meet the inclusion criteria (N = 862); the article was a duplicate (N = 60). The remaining 72 articles were screened at the full-text level. After full review for relevancy, another 41 articles were excluded and a total of 31 articles were selected for final review (Figure 1). Out of 31 articles, there were 15 articles from journals, seven reports and nine press statements. Of these, eight (26%) articles from Western Pacific and South East Asia Region, 16 (52%) articles from European Region, one (3%) from Eastern Mediterranean Region and six (19%) from Region of The Americas (Figure 1).



Figure 1: Flow diagram for the scoping review process selection of articles.

The Western Pacific and South East Asia Regions such as South Korea, Japan, Australia, Philippines, Singapore, and Hong Kong had adopted the containment in order to control the disease. Containment measures, aimed at preventing the disease from taking hold, encompassing early detection, isolation, and care of infected people already infected, with careful tracing and screening of their contacts. In South Korea and Japan, containment and mitigation measures in Covid-19 transmission control are self-isolation, screening, and movement restriction/travel [14, 15]. In Singapore, Australia, Hong Kong and Philippines, the control measures used were self-isolation, movement restriction/travel and prohibition of mass gathering [16, 17, 18, 19, 20, 21). In addition, the Australia, Hong Kong and Philippines, adopted extra control measures, namely social distancing, and partial lockdown [19, 20, 21] (Table 1).

The European Region such as Spain, France, Germany, Switzerland, United Kingdom, Netherland, Sweden, Norway and Austria had adopted a few strategies to control the disease. The containment and mitigation control measures in Spain were self- isolation, social distance, movement restriction/travel and partial lockdown [22]. In France and United Kingdom, containment and mitigation measures in Covid-19 transmission control were only screening and self-isolation [23, 24, 25, 26]. Containment and mitigation measures in Germany, Switzerland and Netherland were social distancing, self-isolation, movement restriction/travel and prohibition of mass gathering [27, 28, 29, 30, 31]. In Sweden, containment and mitigation measures in Covid-19 transmission control were self-isolation, movement restriction/travel, partial lockdown and prohibition of mass gathering [32]. In Norway, Austria, Belgium and Italy, containment and mitigation measures announced included self-isolation, social distance, movement restriction/travel, partial lockdown and prohibition of mass gathering [33, 34, 35, 36, 37]. However, Norway and Italy governments added an extra control measure, namely screening [33, 37] (Table 1).

In Eastern Mediterranean Region and Region of Americas, containment and mitigation measures in Covid-19 transmission control adopted in Bahrain and USA, were self-isolation, social distance, movement restriction/travel and prohibition of mass gathering [38, 39, 40, 41]. In addition, USA added screening and the partial lockdown as an extra control measure. While, in Canada, containment and mitigation measures in Covid-19 transmission control were self-isolation, social distance, movement restriction/travel, and prohibition of mass gathering [42, 43]. In Brazil, containment and mitigation measures in Covid-19 transmission control were self-isolation, movement restriction/travel, partial lockdown and prohibition of mass gathering [44] (Table 1).

Table 1: Summaries of the Covid-19 containment and mitigation measures from the affected countries

			Type of		Type of cor	of contain	ntainment/mitigation (√)	gation (√)				:	
Refe			Publicatio	containment	nment		miti	mitigation		Date of	Caspe	Fatall	
renc e Num ber	Author(s)/ Year	Country	n (Journal/B ulletin/rep ort/press statement)	Self isolati on	screeni ng	Social nt distance restriction n/travel	Moveme nt restrictio n/travel	Partial lockdown/ Eg: Sch closed	Prohibiti on of Mass gathering	first case occurr ed	at 31 March 2020	31 Marc h 2020	Source of data
WE	WESTERN PACIFIC and SOUTH EAST ASIA REGION	and SOUTH	EAST ASIA I	REGION	197								
41	Power J 14 March 2020	Report	Korea	>	>		>			20 Jan 2020	9826	162	https://www.scmp.com/week-asia/health-environment/article/3075164/south-koreas-coronavirus-response-opposite-china-and
15	Wikipedia 16 March 2020.	Report	Japan		7		7			3 Jan 2020	1953	56	https://en.wikipedia.org/wiki/2020_coronavirus _pandemic_in_Japan
16	Pung,R, et al 16 March 2020	Journal	Singapore	>	7		7		7	23 Jan 2020	879	င	https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)30528-6/fulltext
17	Lee VJ, et al 13 March 2020	Journal	Singapore	>	>		>		7	23 Jan 2020	879	င	https://www.ncbi.nlm.nih.gov/pubmed/3216714 6
18	Wong JEL 20 February 2020	Journal	Singapore	>	>		>		7	23 Jan 2020	879	е	https://jamanetwork.com/journals/jama/fullarticl e/2761890
19	Communicable Diseases Network. 19 March 2020	Report	Australia	7	>	7	7		7	12 Jan 2020	4359	18	https://www.who.int/docs/default- source/coronaviruse/situation- reports/20200331-sitrep-71-covid- 19.pdf?sfvrsn=4360e92b_8
20	Cowling BJ 16 March 2020	Journal	Hong Kong	>	>	7	7	7	7	23 Jan 2020	714	2	https://www.thelancet.com/journals/lanpub/artic le/PIIS2468-2667(20)30090-6/fulltext

https://doi.org/10.4414/smw.2020.20225	file:///C:/Users/limkk/Documents/COVID_SR_0 3042020/R31_New%20measures%20to%20st op%20spread%20of%20coronavirus%20in%2 0the%20Netherlands%20_%20News_NETHE RLAND.html	https://www.nytimes.com/2020/03/28/world/eur ope/sweden-coronavirus.html	https://www.lifeinnorway.net/coronavirus-in- norway/	file:///F:/R17_Austria%20Announces%20Major %20Restrictions%20on%20Movement%20Ove r%20Coronavirus.html	https://www.belgium.be/en/news/2020/coronavirus reinforced measures	https://www.euractiv.com/section/coronavirus/news/belgium-enters-partial lockdown-over-coronavirus-crisis-until-5-april/	https://en.wikipedia.org/wiki/2020_coronavirus _pandemic_in_Italy		https://en.wikipedia.org/wiki/2020_coronavirus _pandemic_in_Bahrain	
295	864	146	26	108	513	513	11,5 91		4	
15,412	11,750	4028	4226	9618	11,899	11,899	101,739		515	
25 Feb 2020	27 Feb 2020	31 Jan 2020	26 Feb 2020	25 Feb 2020	4 Feb 2020	4 Feb 2020	31 Jan 2020		12 Jan 2020	
	7	7	>	^	٨	٨	٨		>	
	7	7	7	~	>	~	~			
	>	>	>	>	>	>	>		>	
>	7		>	^	7	>	7		7	
>			>				>			
	7	7	>	7	٨	>	7		>	
Switzerla	Netherlan ds	Sweden	Norway	Austria	Belgium	Belgium	Italy	NOIS	Bahrain	
Journal	Press Statement	Press Statement	Press statement	Press Statement	press statement	press statement	Journal	ANEAN REG	press statement	
Salathe M et al 19 March 2020	Government of The Netherlands. 12 March 2020	Christina A et al 28 March 2020	Nikel D 30 March 2020	Neghaiwi BH 15 March 2020	Federal Government 27 March 2020	Brzozowski A 17 March 2020	Andrea De Giorgio 27 March 2020	EASTERN MEDITERANEAN REGION	Gardaworld 26 March 2020	
30	31	32	33	34	35	36	37	EAS	38	

Sn		_	20	Se		20 20
https://en.wikipedia.org/wiki/2020_coronavirus	pandemic in the United States	https://www.bmj.com/content/368/bmj.m1141	https://www.medrxiv.org/content/10.1101/2020 .03.17.20037770v1	https://www.canada.ca/content/dam/phac-aspc/documents/services/publications/diseases-conditions/covid-19/covid-19-be-prepared-factsheet-eng.pdf	https://www.canada.ca/en/public-health/services/diseases/2019-novel-coronavirus-infection/latest-travel-health-advice.html	file:///C:/Users/limkk/Documents/COVID_SR_0 3042020/R44_Brazil%20reports%20first%20d eath%20from%20Covid%20_%20Agência%20 Brasil_BRAZIL.html
	2398	2398	2398	99	99	136
0 0 7	140,640	140,640 2398	140,640 2398	6317	6317	4256
20 Jan	2020	20 Jan 2020	20 Feb 2020	25 Jan 2020	25 Jan 2020	25 Feb 2020
		7	>		7	7
-	>	>	^			>
		>	>		>	>
-	>	7	٨		٨	
		7				
	>			>	7	7
USA		USA	USA	Canada	Canada	Brazil
ERICAS Journal		Journal	Journal	Report	Journal	Press statement
REGION OF THE AMERICAS 39 Peak CM et al Journa	8 March 202	Berger ZD et al 20 March 2020	Liu P 20 March 2020	Public Health Agency of Canada 20 March 2020	Public Health Agency of Canada 23 March 2020	Flavia Albuquerque 30 March 2020
REC		40	41	42	43	44

After more than one month of the containment and mitigation control measures taken, most of the countries managed to reduce the Covid-19 cases from spreading in the communities [45]. The five most successful countries that managed to control this pandemic were Hong Kong, followed by South Korea, Australia, Austria and Switzerland. Meanwhile, The USA, Brazil, United Kingdom, Singapore and Philippines are the countries still unable to significantly reduce the cases although the control measures had been implemented in the countries since the detection of first case of Covid-19 in their countries [45]. (Table 2)

Table 2: New daily reported of Covid-19 confirmed cases, by date

	Carrelin .		Frequency (n)									
	Country		ı	March, 2	2020			May	, 2020			
		27	28	29	30	31	1	2	3	4	5	
1	South Korea	91	146	105	78	125	9	6	13	8	3	
2	Japan	96	112	194	173	87	193	264	294	218	174	
3	Australia	186	650	331	0	393	16	5	16	18	24	
4	Philippines	71	96	272	343	128	276	284	156	295	262	
5	Singapore	52	49	70	42	35	528	932	447	657	573	
6	Hong Kong	65	64	59	41	32	2	0	0	1	0	
7	Spain	8578	7871	8189	6549	6398	518	1781	1366	884	545	
8	France	3866	3756	4603	2497	4335	1055	601	736	250	534	
9	Germany	5780	6294	3965	4751	4615	0	2584	793	679	685	
10	Switzerland	1000	1390	1048	1122	1138	179	119	112	88	76	
11	United Kingdom	2129	2885	2546	2433	2619	6032	6201	4806	4339	3985	
12	Netherlands	1019	1172	1159	1104	884	514	475	445	335	199	
13	Sweden	296	240	401	253	328	790	428	562	235	404	
14	Norway	240	425	264	257	124	43	49	0	50	38	
15	Italy	6153	5959	5974	5217	4050	1872	1965	1900	1389	1221	
16	Austria	1141	668	594	522	805	93	74	27	39	24	
17	Belgium	1298	1049	1850	1702	1063	660	513	485	389	361	
18	Bahrain	39	15	3	39	0	119	130	114	72	177	
19	USA	4764	16,894	18,093	19,332	17,987	31,379	31,774	26,753	31,839	29,266	
20	Canada	146	463	739	898	662	1693	1601	1915	3681	479	
21	Brazil	0	482	502	487	352	6276	7218	6209	4970	4588	

Source: Coronavirus disease (Covid-19) situation reports

9. DISCUSSION

This study investigated the effectiveness of different containment and mitigation control measures of Covid-19 from 21 affected countries. To the best of our knowledge, this is the first scoping review reporting types of containment and mitigation measures to control the current pandemic of Covid-19. All the affected countries highlighted in this article have already implemented community containment and mitigation measures. If these measures were executed effectively, it may prevent the transmission of the cases in the communities and hence flattening the pandemic [11]. However, this scoping review results revealed that only a few countries managed to significantly reduce the cases whereas other countries could not show a clear impact or even no effect on reducing the confirmed cases [45]. Hong Kong and South Korea have successfully fought Covid-19 by effectively adopting containment and mitigation measures [14, 21]. While, Brazil and USA are the two countries still struggling to contain the epidemic [39, 40, 41, 441.

In Hong Kong, the country's first case was confirmed on 23 January 2020 [45], leading the government to declare the viral epidemic two days after the first cases was detected [21]. The government quickly implemented the containment and mitigation measures such as partially lockdown of amusement parks, leisure/cultural facilities, schools, and universities [21, 46]. The screening was conducted among the people crossing the border and the surveillance was done within the city. Close contacts of infected people were tracked down, and quarantine centers were identified to ensure self-isolation of suspected cases. Visitors coming from infected countries were required to undergo a compulsory 14 days of quarantine and wear a tracking band and practicing some degree of social distancing [21, 47]. A current survey found that majority of respondents (85%) avoided crowded places.

While, almost all of them (100%) used face masks when leaving home and adhered firmly to the government advisories on social distancing norms [48]. As a result, the social distancing effort, isolating ill people at home, tracking and quarantine those exposed to the sick, closing schools, work-at-home measures, closing public meeting places seems to have trimmed the illness' rampage among the population in Hong Kong [21, 47, 48].

In South Korea, the first confirmed case was reported 20 January 2020 [45]. However, the confirmed cases among the members of the religious organization in Daegu has triggering a drastic escalation of cases in the country [14, 49]. No cities were under lockdown but several measures were taken by the government to control the spreading the disease such as imposed travel restrictions to and from South Korea, extensive screening with confirmed cases being hospitalized at the Covid-19 special facilities. While, those without symptoms are required to self-quarantined for 14 days [14]. The cases phones and credit card data are used to trace their prior movements and find their contacts [49]. Furthermore, populations are encouraged to wear masks, wash their hands, avoid crowds, always work remotely and practice social distancing to prevent further infection [14, 50]. The government focuses on extensive screening for the disease and used technology for promptly tracking and isolation of infected people resulted the cases have dropped sharply in South Korea [51].

The first case recorded in Brazil was on 25 February 2020 [45]. Currently, the government has implemented containment and mitigation strategies to slow the transmission of Covid-19 by restricting social contacts, self-isolation, partial lockdown of non-essential facilities, movement restriction and prohibition of gathering in several municipalities [52]. Although the government has launched the control measures aggressively.

The numbers of Covid-19 cases still increase exponentially and it is believed that the actual numbers of confirmed cases are far higher than government official figure as the government is only screening people who end up in the hospital [45]. A larger reduction of the confirmed cases can be achieved if the federal government, states, municipalities, and the population strictly followed the instructions of interventions related to social contacts, behavioral changes, improvement on public health and health care system [52]. In addition, the impact of the spread of the Covid-19 can be further reduced if the country's started intensive screening capacity on its population [53].

The first Covid-19 case in the USA was confirmed on 20 January 2020 and the government declared a public health emergency on 31 January 2020 [41]. In response to the global outbreak, the Federal government and public health partners were implementing aggressive measures to slow and contain transmission of Covid-19 in the USA such as travel restrictions, closing of businesses /schools/universities, complete suspension of sports leagues, imposed "stay at home" quarantines on their population to stem the spread and expanding the screening (but the number of available test kits were still limited) [54]. In addition, The Centers for Disease Control and Prevention (CDC) staff members were working with state, local, tribal, and territorial health departments and other public health authorities to assist with case identification, contact tracing, and medical management of cases [55]. However, the initial government response to the pandemic was otherwise slow causing the disease to increase exponentially and by the end of March, Covid-19 cases had spread to all 50 states and became the leading country in the number of cases worldwide [39]. Lastly, the lack of available screening has been a major setback for the USA and has prevented the country from getting ahead of the pandemic [55].

According to WHO, the issue of affected countries is no longer about epidemic prevention but about virus containment and mitigation. Slowing down the spread to manageable levels will help medical staff to provide adequate care to infected patients and maintain social order [3]. Appropriate action in individual communities and countries can benefit the entire world. These approaches are used to minimize the infection rate and deaths caused by Covid-19. Everyone plays an important role for the success of the containment and mitigation strategies. The failure to take this matter seriously will result in the countries unable to successfully flattening the curve of Covid-19 [48, 51]. Until a cure or vaccine is found, everyone should play their part in reducing the spread of Covid-19. The delayed in implementation control measures represents a missed opportunity to diminish further the transmission of the Covid-19 and lower compliance increases the opportunity for person-to-person transmission [56].

The limitations of this scoping review should be noted. First, studies written in languages other than English were excluded. Thus, we are unable to claim to have captured the full breadth of the field as the intent of scoping reviews. Second, we did not systematically assess the scientific rigor of our literature sample especially the weaknesses of the press release and report articles. Therefore, further research and systematic investigation are warranted. However, the significance of this scoping review is its potential to highlight the importance of various containment and mitigation measures used in the affected countries to control or reduce the Covid-19 cases. This scoping review has provided a broad overview of containment and mitigation measures used in Covid-19 transmission control from the affected countries which can be adopted by other countries in the management of Covid-19.

10. CONCLUSION

This review revealed all countries affected by the Covid-19 had implemented multiple containment and mitigation measures to reduce the impact of the disease. Thus, making it difficult to measure the effectiveness of each individual method. A combination of multiple control measures is necessary, since this could increase the success in reducing the transmission of the Covid-19 disease. In addition, the aggressiveness of government efforts and the compliance among the population are the main factors for the effectiveness of the containment and mitigation measures implemented. Even the best prepared government may not be able to overcome this crisis without the participation of their populations. Thus, efforts should be directed at the creation of standard guidelines to improve the containment and mitigation efforts, considering the characteristics of the virus and community acceptance.

11.ACKNOWLEDGMENTS

We would like to thank the Director General of Health Malaysia for his permission to publish this article

12. REFERENCES

- [1]. Chaolin H, Yeming W, Xingwang L, Lili R, Jianping Z, Yi H, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. Lancet. 2020 Jan;395:497–506.
- [2]. Eunha S, Amna T, Wongyeong C, Yiseul L, Gerardo C. Transmission potential and severity of COVID-19 in South Korea. Int J Infect Dis. 2020 March;93:339-344.
- [3]. Catrin S, Zaid A, Niamh ON, Mehdi K, Ahmed K, Ahmed AJ, Christos I, Riaz A. World Health Organization declares global emergency: Are view of the 2019 novel coronavirus (COVID-19). Int J Surg; 2020 March;76:71-76.
- [4]. Ren LL, Wang YM, Wu ZQ, Xiang ZC, Guo L, Xu T, et al. Identification of a novel coronavirus causing severe pneumonia in human: a descriptive study. Chin Med J. 2020 May;133(9):1015-1024.
- [5]. World Health Organization. Coronavirus disease (COVID-19)pandemic. WHO [Internet]. 2020 [cited 2020 March 20]; Available from:https://www.who.int/dg/speeches/detail/who-director-general-s-remarks-at-the-media-briefing-on-2 019-ncov-on-11february-2020a.
- [6]. Hussin AR, Siddappa NB. The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. J Autoimmun. 2020 May;109:102433.
- [7]. The Lancet Respiratory Medicine COVID-19: delay, mitigate, and communicate.Lancet Respir Med.2020 March;8(4):321.
- [8]. World Health Organization. 2019. Novel Coronavirus(2019-nCoV): Situation Report-104 [Internet]. 2020 [cited 2020 March 29]. Available from:https://www.who.int/docs/default-source/coronaviruse/situation-reports/2 0200503-covid-19-sitrep-104.pdf? sfvrsn=53328f46_2.
- [9]. Chenghu Z, Fenzhen S, Tao P, An Z, Yunyan D, Bin L, Zhidong C, et al. COVID-19: Challenges to GIS with Big Data. Geogr Sustainability. 2020 Mar;1(1):77–87.
- [10]. Ataguba JE. COVID-19 Pandemic, a War to be Won: Understanding its Economic Implications for Africa. Appl Health Econ Health Policy. 2020 Apr; In Press.
- [11]. Anderson RM, Heesterbeek H, Klinkenberg D, Hollingsworth T. D. How will country-based mitigation measures influence the course of the COVID-19 epidemic?. Lancet. 2020 March;395(0228):931-934.

- [12]. Arksey H, O'Malley L. Scoping studies: towards a methodological framework. Int J Soc Res Methodol. 2005;8:19e32.
- [13]. The Joanna Briggs Institute. Reviewers' manual: Methodology for JBI scoping reviews. Adelaide: Joanna Briggs Institute; 2015.
- [14]. Power J. South Korea's coronavirus response is the opposite of China and Italy and it's working [Internet]. 2020 [cited 2020 14 March]; Available from: https://www.scmp.com/week-asia/health-environment/article/3075164/south-koreas-coronavirus-response-opposite-china-and.
- [15]. Wikipedia. Coronavirus pandemic in Japan. [Internet]. 2020 [cited 2020 16 March]; Available from: file:///F:/JAPAN_2020%20coronavirus% 20pandemic%20in%20 Japan Wikipedia.html.
- [16]. Pung R, Chiew CJ, Young BE, Chin S, Chen MI, Clapham HE, et al. Investigation of three clusters of COVID-19 in Singapore: implications for surveillance and response measures. Lancet. 2020;395:1039–46.
- [17]. Lee VJ, Chiew CJ, Khong WX. Interrupting transmission of COVID-19: lessons from containment efforts in Singapore. J Travel Med. 2020 Mar:1–5.
- [18]. Wong JEL, Leo YS, Tan CC. COVID-19 in Singapore—Current Experience: Critical Global Issues that require attention and action. JAMA. 2020;323(13):1243-1244
- [19]. Communicable Diseases Network Australia. COVID-19, Australia: Epidemiology Report 7: Reporting week ending 19:00 AEDT 14 March 2020. 2020. Department of Health; Canberra: 11-17.
- [20]. Cowling BJ, Ali ST, Ng TWY, Tsang TK, Li JCM, Fong MW, et al. Impact assessment of non-pharmaceutical interventions against COVID-19 and influenza in Hong Kong: an observational study. Lancet Public Health. 2020 May;5(5):e279-e288.
- [21]. Duddu P. Coronavirus in Philippines: The COVID-19 risk, impact and measures. 2020 [cited 2020 March 31]. Available from : https://www.pharmaceutical-technology.com/features/coronavirus-affected-countries-philippines-measures-impact-tourism-economy/
- [22]. Aleta A, Moreno Y. Evaluation of the potential incidence of COVID-19 and effectiveness of contention measures in Spain: a data-driven approach. medRxiv; 2020.
- [23]. Sibylle BS, Patrick R, Yassoungo S, Alexandra M, Christine C, Anne S, et. al. First cases of coronavirus disease 2019 (COVID-19) in France: surveillance, investigations and control measures, January 2020. Euro Surveill. 2020 Feb; 25(6): 2000094.

- [24]. Mohammad SR, Katja D, Shamez L, Pippa O. Coronavirus disease 2019 (Covid-19): a guide for UK GPs. BMJ 2020 March;368:m800.
- [25]. Moss P, Barlow G, Easom N, Lillie P, Samson A. Lessons for managing high-consequence infections from first COVID-19 cases in the UK. Lancet. 2020 Mar;395(10227):e46.
- [26]. Flear M, de-Ruijter A, McKee M. Coronavirus shows how UK must act quickly before being shut out of Europe's health protection systems. BMJ 2020; 368 :m400.
- [27]. Wikipedia. Coronavirus pandemic in Germany. [Internet]. 2020 [cited 2020 01 April]; Available from: https://en.wikipedia.org/wiki/2020_coronavirus_pandemic_in_Germany.
- [28]. Joachim GF, Nadine B, Johanna M, Corinne N, Gabrielle.. Switzerland Declares State of Emergency due to COVID-19. Swiss Med Wkly. 2020;150:w202205
- [29]. The Federal Council of Swiss government. Coronavirus: Federal Council declares 'extraordinary situation' and introduces more stringent measures. [Internet]. 2020 [cited 2020 March 23]; Available from: https://www.admin.ch/gov/en/start/documentation/media-releases.msg-id-78454.html.
- [30]. Salathe M, Althaus CL, Neher R, Stringhini S, Hodcroft E, Fellay J, et al. COVID-19 epidemic in Switzerland: on the importance of testing, contact tracing and isolation. Swiss Med Wkly. 2020 Mar;150:w20225.
- [31]. Government of The Netherlands. New measures to stop spread of coronavirus in the Netherlands. Res [Internet]. 2020 [cited 2020 March 12]; Available from: https://www.government.nl/latest/news/2020/03/12/new-measures-to-stop-sp read-of-coronavirus-in-the-netherlands.
- [32]. Christina A, Henrik PL. In the Coronavirus Fight in Scandinavia, Sweden Stands Apar [Internet]. 2020 [cited 2020 March 28]; Available from: https://www.nytimes.com/2020/03/28/world/europe/sweden-coronavirus.html
- [33]. Nikel D. Coronavirus in Norway: the latest news on the COVID-19 outbreak. Life in Norway [Internet]. 2020 [cited 2020 March 30]; Available from: https://www.lifeinnorway.net/coronavirus-in-norway/.
- [34]. Neghaiwi BH. Austria announces major restrictions on movement over coronavirus. Reyuter [Internet]. 2020 [cited 2020 March 20]; Available from: https://www.reuters.com/article/us-health-coronavirus-austria/austria-imposes -major-restrictions-on-movement-over-coronavirus-idUSKBN2120D8.

- [35]. Federal Government. 2020. Coronavirus: reinforced measures. Brussel: Belgium.be; [Internet]. 2020 [cited 2020 March 27]. Available from: https://www.belgium.be/en/news/2020/coronavirus_reinforced_measures.
- [36]. Brzozowski A. 2020. Belgium enters partial lockdown over coronavirus crisis until 5th April. Euractiv [Internet]. 2020 [cited 2020 March 27]; Available from: https://www.euractiv.com/section/coronavirus/news/belgium-enters-partial lockdown-over-coronavirus-crisis-until-5-april/.
- [37]. De Giorgio A. COVID-19 is not just a flu. Learn from Italy and act now. Travel Med Infect Dis. 2020:101655.
- [38]. Gardaworld. Bahrain: Entry and domestic restrictions implemented amid COVID-19 outbreak. [Internet]. 2020 [cited March 26]; Available from: https://www.garda.com/crisis24/news-alerts/324051/bahrain-entry-and-domestic-restrictions-implemented-amid-covid-19-outbreak-march-17-update-8.
- [39]. Peak CM, Kahn R, Grad YH, Childs LM, Li R, Lipsitch M et al. Modeling the Comparative Impact of Individual Quarantine vs. Active Monitoring of Contacts for the Mitigation of COVID-19. medRxiv; 2020.
- [40]. Berger ZD, Evans NG, Phelan AL, Silverman RD. Covid-19: control measures must be equitable and inclusive. BMJ 2020;368:m1141.
- [41]. Liu P. COVID-19 Progression timeline and effectiveness of response-to-spread interventions across the United States. medRxiv 2020.
- [42]. Public Health Agency of Canada. Coronavirus disease (COVID-19): Be prepared factsheet [Internet]. 2020 [cited 2020 March 20]; Available from: https://www.canada.ca/content/dam/phac-aspc/documents/services/public ations/diseases-conditions/covid-19/covid-19-be-prepared-factsheet-eng.pdf.

- [43]. Public Health Agency of Canada, Coronavirus disease (COVID-19): Latest travel advice. [Internet]. 2020 [cited 2020 March 23]; Available from: https://www.canada.ca/en/public-health/services/diseases/2019-novel-corona virus-infection/latest-travel-health-advice.html.
- [44]. Albuquerque F. Brazil reports first death from Covid-19. Brasilia: Agensia Brazil; 2020[cited March 30]. Available from: https://agenciabrasil.ebc.com.br/en/saude/noticia/2020-03/brazil-reports-first-death-covid-19.
- [45]. World Health Organization. 2019. Novel Coronavirus (2019-nCoV): Situation Report [Internet]. 2020 [cited 2020 April 26]. Available from: https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports.
- [46]. Kin-wa C. Hong Kong declares Wuhan virus outbreak 'emergency' the highest warning tier' [Internet]. 2020[cited 2020 March 15]; Available from: https://hongkongfp.com/2020/01/25/breaking-hong-kong-declares-wuhan-virus -outbreak-emergency-highest-warning-tier/.
- [47]. Sataline S. Covid-19's resurgence in Hong Kong holds a lesson: Defeating it demands persistence. [Internet]. 2020[cited 2020 May 05]; Available from: https://www.statnews.com/2020/03/26/coronavirus-hong-kong-resurgenece-holds-lesson-defeating-it-demands-persistence/.
- [48]. Gupta A. How Hong Kong controlled the coronavirus without a lockdown. China Global Television Network [Internet]. 2020[cited 2020 May 10]; Available from: https://news.cgtn.com/news/2020-04-20/How-Hong-Kong-controlled-the-coron avirus-without-a-lockdown-PQb3c6N4KQ/index.htm.
- [49]. COVID-19 pandemic in South Korea. Wikipedia [Internet]. 2020 [cited 2020 08 April]: Available from: https://en.wikipedia.org/wiki/COVID-19_pandemic_in_South_Korea#cite_note-mk-1.

- [50]. Ahn M. How South Korea flattened the coronavirus curve with technology. [Internet]. 2020 [cited 2020 May 09]; Available from https://theconversation.com/how-south-korea-flattened-the-coronaviruscurve-with-technology-136202.
- [51]. Normile D. Coronavirus cases have dropped sharply in South Korea. What's the secret to its success?. [Internet]. 2020[cited 2020 May 10]; Available from: https://www.sciencemag.org/news/2020/03/coronavirus-cases-have-dropped-sharply-south-korea-whats-secret-its-success#.
- [52]. Requia WJ, Kondo EK, Adam MD, Gold DR, Struchinere CJ. Risk of the Brazilian health care system over 5572 municipalities to exceed health care capacity due to the 2019 novel coronavirus (COVID-19). Sci. Total Environ.2020 730:139144.
- [53]. Watson K. Coronavirus: First Brazil death 'earlier than thought'. BBC [Internet]. 2020[cited 2020 May 13]; Available from:https://www.bbc.com/news/world-latin-america-52638352.
- [54]. Wikipedia. COVID-19 pandemic in the United States. [Internet]. 2020 [cited 2020 12 May]: Available from:https://en.wikipedia.org/wiki/COVID-19_pandemic_in_the_United_States
- [55]. Jernigan DB. Update: Public Health Response to the Coronavirus Disease 2019
 Outbreak United States, February 24, 2020. Morbidity and mortality weekly report (MMWR). Centres for Disease Control and Prevention. [Internet].
 2020[cited 2020 May 09]; Available from:https://www.cdc.gov/mmwr/volumes/69/wr/mm6908e1.htm?s_cid%3Dmm6908e1_e%26deliveryName%3DUSCDC_921-DM20815
- [56]. Ahmed F, Zviedrite N, Uzicanin A. 2020. Effectiveness of workplace social distancing measures in reducing influenza transmission: a systematic review. BMC Pub Health. 2018 Apr;18(1):518









Institute for Public Health National Institutes of Health Ministry of Health Bandar Setia Alam 40170, Shah Alam Malaysia Tel: +603-33627800

Tel: +603-33627800 Fax: +603-33627801 www.iku.gov.my